Index

action selection, 490
active feature, 387
active localization, 195, 569, 575
adaptive algorithm, 86
adjusting model parameters, 158
AMDP, 550
  algorithm, 551, 552
amortized map recovery, 402
anchoring constraint, 343
anticipated uncertainty, 488
anytime algorithm, 540
approximate cell decomposition, 509
assumed density filter, 65
Atlas, 376
auction mechanism, 589
augmented state
  in a POMDP, 550
  in localization, 269

backpropagation, 296
backup step, 501
  in belief space, 526
bandit problem, 605
Bayes filter, 8, 26
  algorithm, 26, 27
Bayes rule, 16
bearing of a robot, 119
bearing only SLAM, 320, 334
behavior-based robotics, 11
belief, 25
  in a POMDP, 494
Bellman equation, 500
bias of a sampler, 112
bicycle model, 146
binary Bayes filter, 94
  algorithm, 94, 95
  in mapping, 285
binary information gain, 584
binary tree, 465
bin in a histogram, 87
branch-and-bound data association, 415
bundle adjustment, 381

canonical parameterization, 40, 71
catastrophic failure in localization, 249
clustering, 105
CML, *see* SLAM
coastal navigation, 8, 558
coin flip, 14
combined state vector, 313
complete state, 21, 24
complete state assumption, 33
computer vision, 332
concurrent mapping and localization, *see* SLAM
condensation algorithm, 276
conditional entropy, 571
conditional independence, 17, 24
  in SLAM, 437
conditional of a Gaussian, 359

conditional probability, 16
conditioning lemma, 359
configuration of a mobile robot, 118
configuration space, 141, 507
conjugate gradient
  in GraphSLAM, 376
consistency in SLAM, 435
constant time SLAM, 395
control, 22, 487
control action, 22
control policy, 493, 496
coordinate descent, 403
coordination between robots, 589
correction, 26
  in an UKF, 225
  in localization, 207
correlation-based measurement model, 174
correspondence, 178
  between different maps, 429
  in EKF, 323
  in GraphSLAM, 362
  in localization, 201, 215
  in SEIF, 409
  likelihood test, 363
  through maximum likelihood, 215
cost, 495
covariance intersection, 434
covariance matrix, 15
coverage problem, 603
cumulative payoff, 497
cyclic environment, 282
  in exploration, 598
  in FastSLAM, 471
  in SLAM, 343

data association, 178
decomposition of entropy, 593
delayed motion update in localization, 244
De Morgan's law, 293
density tree, 92
  for a particle filter, 105
derivative-free filter, 70
discount factor, 497
discrete Bayes filter, 86
  algorithm, 86, 87
dynamic Bayes network, 25
dynamic environment, 194, 267
dynamics, 145
dynamic state, 20

EIF, 75
  algorithm, 75, 76
EKF, 54
  algorithm, 59
EKF localization, 201
  algorithm with known correspondences, 203, 204
  general algorithm, 216, 217
  illustration, 201, 210
EKF SLAM, 312
  algorithm with known correspondence, 313, 314
  fundamental dilemma, 330
  general algorithm, 321, 323
  numerical instability, 329
EM algorithm, 333
  for data association, 482
  for learning a sensor model, 165
  for outlier rejection, 269
emergent behavior, 12
entropy, 18
  decomposition, 593
  of a multivariate Gaussian, 597
entropy lemma, 597
environment, 19
equivalence constraints, 419
expectation maximization, *see* EM algorithm
expectation of a random variable, 18
expected cumulative payoff, 497
expected information
  in exploration, 571

experimental design, 542
exploration, 569
  exploration action, 570, 576, 585
  for SLAM, 593
  frontier-based, 584
  greedy, 572
  in occupancy grids, 580
  Monte Carlo, 573
  Monte Carlo algorithm, 573, 574
  multi-robot, 587
  multi-robot algorithm, 588
  multi step, 575
exponential decay, 307
extended information filter, *see* EIF
extended information form, *see* GraphSLAM
extended Kalman filter, *see* EKF
extended Kalman filter SLAM, *see* EKF SLAM

factorization
  in GraphSLAM, 344
  in SLAM, 439
FastSLAM, 437
  exploration algorithm, 595, 596
  grid-based, 474
  occupancy grid algorithm, 478
  v1.0, 439
  v1.0 algorithm with known correspondence, 449, 450
  v1.0 general algorithm, 460, 461
  v1.0 with known correspondence, 444
  v2.0, 451
  v2.0 general algorithm, 460, 463
  with unknown correspondence, 457
feature-based
  measurement model, 176
feature-based map, 152
  in SLAM, 312
feature in a map, 176
finite-horizon case, 497
frontier
  in exploration, 584
  of a search tree, 416
frontier-based exploration, 584
full SLAM problem, 310

Gaussian, 14
  as a posterior, 40
  canonical parameterization, 71
  conditioning lemma, 359
  for a particle filter, 104
  marginalization lemma, 358
  mixture, 63
  multivariate, 15
  noise, in SLAM, 312
Gaussian filter, 39
generative model, 17
global correspondence problem, 424
global localization, 5, 194, 198
goal, 495
gradient descent, 376
  in learning, 296
graphical SLAM, 382
GraphSLAM, 337
  algorithm, 346, 347, 365
  correspondence test algorithm, 364
  with unknown correspondence, 363
greedy case, 497
grid-based FastSLAM, 474
grid localization, 238
  algorithm, 238, 239
  illustration, 245

heading direction, 119
heaven-or-hell problem, 510
hidden Markov model, 25, 87
histogram filter, 86
  dynamic decomposition, 92
  for localization, 238
  selective updating, 93

static decomposition, 92
histogram in a particle filter, 105
holonomic robot, 147
horizon, 497
hybrid control, 12
hybrid state, 21

importance factor
in a particle filter, 99
in FastSLAM, 447, 455
importance sampling
in a particle filter, 99
incomplete state, 21
independence, 15
between sensor beams, 152
conditional, 17
infinite-horizon case, 498
information filter, 71
algorithm, 73
information gain, 572
information gathering, 488
information matrix, 71
information state, 26
in a POMDP, 494
information vector, 71
injection of random particles, 256
innovation, 43, 214
inverse measurement model, 95, 294
inverse range sensor algorithm, 287, 288
inversion lemma, 50

Jacobian, 58
joint distribution, 15

k-means algorithm, 104
Kalman filter, 40
algorithm, 42, 43
multi-hypothesis, 63
unscented, 65
Kalman gain, 43, 52
in EKF SLAM, 315
kernel density estimation, 105
kidnapped robot problem, 194
kinematics, 118
kinematic state, 20
KLD-sampling, 263
algorithm, 264
comparison, 265
knowledge state, 26
Kullback-Leibler divergence, 263

landmark, 21, 177
landmark existence probability, 329
landmark model
algorithm, 178, 179
sampling algorithm, 179, 180
laser range scan, 150
lazy SLAM, 339, 385
learning
in an AMDP, 558
in an MC-POMDP, 559
of a measurement model, 158
least squares
in SLAM, 337
Levenberg Marquardt, 376
likelihood field
algorithm, 171, 172
for range finders, 169
likelihood test for correspondence, 363
linear Gaussian SLAM, 382
linear Gaussian system, 40
measurement probability, 42
state transition, 41
linearization, 56
in GraphSLAM, 356
localization
comparison chart, 273
in a dynamic environment, 267
Markov, 197
of a mobile robot, 5
taxonomy, 193
with a grid, 238
with an EKF, 201

with MCL, 250
local submaps, 369
location
of a robot, 119
location-based map, 152
logistic regression, 294
log odds ratio, 94
in an occupancy grid map, 286
loop closure, 471
loopy belief propagation, 79
low variance sampling, 109
algorithm, 109, 110

Mahalanobis distance, 72
map, 152
feature-based, 152
location-based, 152
metric, 93
of an environment, 152
topological, 93
volumetric, 152
map-based motion model, 140
map management
in FastSLAM, 459
in SLAM, 328
map matching, 174, 233, 275
MAP occupancy grid map, 299
MAP occupancy grid mapping algorithm, 301, 302
mapping with known poses, 283
marginalization lemma, 358
marginal of a Gaussian, 358
market-based algorithms, 589
Markov assumption, 33
Markov blanket, 419
Markov chain, 21
Markov localization, 197
algorithm, 197
illustration, 5, 200
Markov random field, 79
max-range measurement, 156
maximum likelihood
correspondence, 215
estimator, 159
maximum likelihood correspondence in SLAM, 323
maximum of linear functions, 530
MC-POMDP, 559
algorithm, 559, 560
MCL, 250
algorithm, 252
algorithm with adaptive sample set, 264
augmented algorithm, 257, 258
with adaptive sample set, 263
with mixture proposal distribution, 262
with random particles, 256
MDP, 491
measurement, 22
measurement arcs, 337
measurement innovation, 214
measurement likelihood, 208
measurement model, 149
correlation-based, 174
feature-based, 176
for a range finder, 153
measurement noise, 154, 169
measurement probability, 25
in a linear Gaussian, 42
measurement update, 26
in a Bayes filter, 27
in an information filter, 75
metric map, 93, 241
Mixture MCL, 262
mixture of Gaussians, 63
mixture weight in an MHT, 219
model-based paradigm, 11
moments matching, 65
moments parameterization, 40
Monte Carlo exploration, 573
algorithm, 573, 574
Monte Carlo localization, *see* MCL

Monte Carlo POMDP, *see* MC-POMDP
motion arcs, 337
motion model, 119
  algorithm with maps, 141
  map-based, 140
  nonlinear, 54
  odometry, 132
  odometry algorithm, 134
  velocity, 121
  velocity algorithm, 121, 123, 129
multi-hypothesis EKF, 63
multi-hypothesis tracking, 218
multi-robot
  coordination, 589
  exploration, 587
  exploration algorithm, 588
  localization, 196
  SLAM, 424
multi-sensor fusion, 293
multi-step exploration, 575
multivariate distribution, 15
mutual exclusion principle, 229, 369

natural parameterization, 40
navigation function, 11, 493
nearest neighbor, 559
negative information
  in a SEIF, 421
  in FastSLAM, 459
  in GraphSLAM, 370
  in localization, 231
neural network, 294, 296
nonlinear motion model, 54
nonlinear state transition, 54
nonparametric filter, 85
normal distribution, 14, 128
  algorithm for computing, 123
  algorithm for sampling, 124
normalizer in Bayes rule, 17
numerical instability of EKF SLAM, 329

occupancy grid
  in FastSLAM, 478
occupancy grid map, 94, 281
  algorithm, 286
  MAP technique, 299
odds of an event, 94
odometer, 23
odometry algorithm
  sampling algorithm, 136
odometry model
  algorithm, 134, 135
  sampling algorithm, 137
odometry motion model, 132
online SLAM problem, 309
outlier rejection
  in localization, 229
  in MCL, 269
  in SLAM, 328
overconfidence in perception, 183

partially observable Markov decision process, *see* POMDP
partial observability, 488
particle
  in a particle filter, 97
  in FastSLAM, 444
particle deprivation, 112
particle filter, 96
  algorithm, 98
  Gaussian approximation, 104
  histogram approximation, 105
  in localization, 250
  in SLAM, 437
  low variance sampling, 109
  particle deprivation, 112
  stratified sampling, 111
passive localization, 195
payoff function, 495
  in a POMDP, 516
PBVI, 538
photogrammetry, 332
piecewise linear function, 514

planning, 487
planning horizon, 497
point-based value iteration, 538
policy, 496
policy for action selection, 493
POMDP, 493, 513
  algorithm, 527, 529
  approximate algorithms, 547
  numerical example, 515
pose, 20
pose of a robot, 118
position estimation, 191
position tracking, 193, 197
positive information, 313
posterior probability, 16
potential field, 11
pre-caching of a measurement model, 167, 243
precision matrix, 71
prediction, 26
  in a Bayes filter, 27
  in an information filter, 74
  in an UKF, 223
  in localization, 205
prior probability, 16
  in a binary Bayes filter, 96
proactive SLAM, 339
probabilistic robotics, 4
probability density function, 14
proposal distribution
  in a particle filter, 102
  in FastSLAM, 446
provisional landmark list
  in EKF SLAM, 328
  in SEIF, 411
pruning, 220
pursuit evasion problem, 569

QMDP, 549
  algorithm, 548, 549

random particles in MCL, 256
random variables, 14
range and bearing sensor, 177
range finder algorithm, 158
Rao-Blackwellized particle filter, 437
ray casting, 154
relative motion information, 133
relaxation algorithm, 390
resampling, 99
resource-adaptive algorithms, 86
robot environment, 19
robot learning problem, 9
rotational velocity, 121

sampling
  from a normal distribution, 124
  from a probability density function, 122
  from a triangular distribution, 124
sampling algorithm
  landmark model, 179, 180
  model model, 141
  normal distribution, 124
  odometry model, 136, 137
  triangular distribution, 124
  velocity motion model, 122, 124
scan matching
  for localization, 234
Schur complement, 359
SEIF, 385
  algorithm with known correspondence, 391, 392
  correspondence test, 416
  correspondence test algorithm, 418
  map fusion algorithm, 425, 426
selective updating
  in localization, 244
  of a histogram filter, 93
semi Markov decision process, 276
sensor failure, 156, 171
sensor measurement, 22
sensor resetting in localization, 276

sensor subsampling in localization, 244
Shepard's interpolation, 561
Sherman/Morrison formula, 50
sigma point, 65
signature of a landmark, 177
significant place, 239
simultaneous localization and mapping, *see* SLAM
single-robot localization, 196
situated agent, 12
SLAM, 309
  exploration, 593
soft correspondence, 419
soft data association constraints, 415
sonar range scan, 149
sparse extended information filter, *see* SEIF
sparseness
  in SEIF, 387
  in the full SLAM problem, 337
sparsification, 390
  in SEIF, 400
Spatial Semantic hierarchy, 306
specular reflection, 150
state
  augmented, 550
  complete, 21, 24
  dynamic, 20
  hybrid, 21
  incomplete, 21
  kinematic, 20
  of an environment, 20
  of knowledge, 26
  static, 20
  transition probability, 25
state augmentation, 269
state transition
  in a linear Gaussian, 41
  nonlinear, 54
static environment, 194
static state, 20
stochastic action effects, 488
stratified sampling, 111
structure from motion, 334, 381
sufficient statistics, 181
supervised learning algorithm, 294

target distribution
  in a particle filter, 100
  in FastSLAM, 447
taxonomy of localization problems, 193
Taylor expansion, 57
textbooks on mobile robotics, 145
Theorem of total probability, 16
thin junction filter, 434
tiger problem, 544
topological map, 93, 239
track, 220
training example, 295
translational velocity, 121
triangular distribution, 128
  algorithm for computing, 123
  algorithm for sampling, 124

UKF
  algorithm, 70
UKF localization
  algorithm, 221
uncertainty ellipse, 82
undo a data association, 363, 369
unexplainable measurements, 157, 171
universal plan, 493
unscented Kalman filter, 65
unscented transform, 65
update, 27

value function, 499
value iteration
  algorithm for an MDP, 501, 502
  algorithm for a POMDP, 527, 529
  for exploration, 579
  in an MDP, 495

in a POMDP, 531
variable elimination algorithm, 344
variance of a sampler, 108
variance reduction, 109
velocity motion model, 121
algorithm, 121, 123
velocity motion model algorithm, 129
volumetric map, 152